

SAFETY DATA SHEET

# **FCB-123 CARBON FABRIC**

#### Section 1. Identification

Product Name:	FCB-123 Carbon Fabric
Supplier:	CSNRI   621 Lockhaven Drive. Houston, TX 77073   +1 281.590.8491
Emergency Phone Number:	800.424.9300 (CHEMTREC)
	+1 703.741.5970 (Outside the US)
Product Description:	Carbon Fiber Fabric
Product Use:	Reinforcement for pipe repair
Chemical Name or Synonym:	N/A

### Section 2. Hazards identification

### Classification of the substance or mixture: Not Classified

Label Elements: None

#### **Hazard Statements:**

USH01 – Combustible dust

H335 – May cause respiratory irritation (Inhalation)

# Signal Word: Warning

## **Precautionary Statements:**

P304+P340 –IF INHALED Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### Emergency Overview: No Known Hazards

### Section 3. Composition/ Information on Ingredients

### Substances: N/A

#### Mixture:

Chemical Name	CAS-No	Weight %
Carbon fiber	7440-44-0	97 – 100

### Section 4. First Aid Measures

### First Aid Measures for Accidental:

**Inhalation:** Dust irritates the respiratory system and may cause coughing and difficulties in breathing. If respiratory problems, artificial respiration/oxygen.

Skin Contact: If skin irritation or an allergic skin reaction develops, get medical attention.

Eye Contact: If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

**Ingestion:** Give large quantities of water and induce vomiting. Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

### Most important symptoms/effects, acute and delayed: No data available.

Indication of immediate medical attention and special treatment needed: No data available.

### Section 5. Fire Fighting Measures



**FCB-123 CARBON FABRIC** 

**Suitable Extinguishing Media:** Water spray, fog, CO<sub>2</sub>, dry chemical, or alcohol resistant foam. **Unsuitable Extinguishing Media:** No data available.

**Special Fire Fighting Procedures:** Wear complete firefighting gear and self-contained breathing apparatus to protect against potential harmful and/or irritating fumes. Use water to keep fire exposed containers cool. Do not use high volume water jet on the fire as this may spread the area of the fire.

**Special Protective Equipment for Fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Specific Hazards Arising from the substance or mixture: No data available.

# Section 6. Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:** No action shall be taken involving any personal risk or without suitable training. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**Environmental Precautions:** Material should not be released into the environment. Prevent product from entering drains.

**Methods and Materials for Containment and Cleaning Up:** Sweep or gather up material and place in proper container for disposal or recovery. Use vacuuming or wet sweeping methods instead of dry sweeping.

### Section 7. Handling and Storage

**Precautions for safe handling:** Avoid direct contact with product. Avoid inhalation of dust/fumes generated during processing operations. Dust produced from handling and machining product will contain fibrous material. Avoid inhalation and provide positive dust extraction and collection from cutting zone. Protect against fire and explosion by avoiding dust formation and ignition sources when machining cured product. Dust from products containing carbon fiber is electrically conductive.

**Conditions for safe storage including any incompatibilities:** Avoid exposing to heat and contact with strong oxidizing substances. Store in a cool place but keep from freezing. Keep container tightly closed and dry.

### Section 8. Exposure Controls / Personal Protection

Control Parameters (Exposure Limits): No available exposure limits for this material.

**Appropriate Engineering Control:** Minimize dust generation and accumulation. Ventilate as needed to control airborne dust. Use explosion – proof ventilation equipment if airborne dust levels are high. Use explosion-proof ventilation equipment.

### Personal Protective Equipment:

**Respiratory Protection:** Avoid breathing dust. In case of inadequate ventilation, use respiratory protection. **Eye / Face Protection:** Wear safety glasses.

Skin Protection: Wear necessary working or chemical gloves as needed.

**Hygiene Measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Additional protective measures: None



# **FCB-123 CARBON FABRIC**

### Section 9. Physical and Chemical Properties

Physical State: Solid   Colour: Black
Odor: Odorless
Melting Point/ Freezing Point: 3,600 °C (6,512 °F)
Boiling point: No data available
Flammability (solid, gas): No data available
Lower and Upper Explosion limits/
Flammability Limits: None
Flash Point: None
Auto-ignition Temperature: No data available
Decomposition Temperature: No data available
pH: No data available
Kinematic Viscosity: No data available
Solubility: Insoluble in water
Evaporation rate (ether=1): No data available
Flammability Limits in Air: May form combustible dust concentrations in air
Solubility in other solvents: No data available
Partition coefficient (n-octanol/water): No data available
Vapour Pressure: No data available
Density and/or Relative Density: 1.6 – 2.0
Relative Vapour Density: No data available
Explosive properties: Not classified as explosive but dust or airborne filaments could
induce explosion in high voltage equipment by short circuit.
Oxidized by strong oxidizer.
Specific Gravity: No data available
Particle Characteristics: No data available

#### Section 10. Stability and Reactivity

**Reactivity:** Material is stable under normal conditions

Chemical Stability: Material is stable under normal conditions

**Possibility of Hazardous reactions:** Contact with strong oxidizer or acid liberates poisonous and flammable gas.

**Conditions to Avoid:** Avoid contact with oxidizing agents. Avoid dust formation. Avoid dust close to ignition sources. Dust clouds may be explosive under certain conditions.

Incompatible Materials / Chemicals: Strong oxidizing agents.

**Hazardous Decomposition Products**: The products of combustion and decomposition depend on other materials present in the fire and the actual conditions of the fire. Burning will produce carbon and nitrogen oxides and other unidentified gases and vapors that may be toxic. Avoid inhalation.

# Section 11. Toxicological Information

## Information in the likely route of exposure:

Continuous filament of carbon fiber with a filament diameter > 4um are not considered respirable. World Health Organization defines a respirable fiber as a fiber with a diameter (d) < 3um, a length (l) > 5um and and I/d ratio >/= 3

# SAFETY DATA SHEET



**FCB-123 CARBON FABRIC** 

**Inhalation:** May cause irritation to the upper respiratory tract. Vapor or fumes generated from exposing this product to elevated temperatures may cause irritation to the respiratory tract. Dust or particulate from machining, grinding or sawing the cured product may cause irritation to the upper respiratory tract.

**Ingestion:** None expected under normal conditions of use. Ingestion is not an expected route of industrial exposure.

**Skin contact:** Contact may cause mechanical irritation, skin redness, itching and drying of the skin. Prolonged or repeated contact may cause allergic skin reaction, dermatitis and possible sensitization.

**Eye contact:** May cause mechanical irritation. Vapor or fumes generated from exposing the product to elevated temperatures may cause irritation. Dust or particulate from the product or from machining, grinding or sawing the product may cause mechanical irritation.

**Medical consideration:** Preexisting eye, skin or respiratory disorders may be aggravated by contact and/or exposure to the product, the vapor or fumes generated from heating the product or to the dust or particulate from machining, grinding or sawing the cured product.

Symptoms related to the physical, chemical and toxicological characteristics:

Target organs: No data available Mutagenicity: No data available Carcinogenicity: No silicosis case has been reported on inhalation test with mouse. Tetratogenicity: No data available Over-exposure signs / symptoms: No data available Delayed and immediate effects and also chronic effects from short and long-term exposure: Short term exposure: No data available. Long term exposure: No data available Respiratory and/or Skin Sensitization No data available Numerical measures of toxicity: No data available

**Delayed and immediate effects and also chronic effects from short and long-term exposure:** There are no known health effects from the long-term use or contact, with non-respirable continuous filament fibers.

## Section 12. Ecological Information

**Ecotoxicity Effects:** No ecological data has been determined on the total product. Not regarded as dangerous for the environment.

Persistence and degradability: No information available Bioaccumulative potential: No information available Mobility in soil: No information available Results of PBT and vPvB assessment: No information available

## Section 13. Disposal Considerations

**Waste treatment methods:** Materials for disposal should be placed in appropriate sealed containers to avoid potential human and environmental exposure. It is the responsibility of the generator to comply with all federal, state, provincial and local laws and regulations. We recommend that you contact an appropriate waste disposal contractor and environmental agency for relevant laws and regulations. Under the U.S., Resource Conservation and Recovery Act (RCRA), it is the responsibility of the user of the product to determine at the time of disposal, whether the product meets relevant waste classification and to assure proper disposal.

Uncleaned packaging: Uncleaned empty containers should be disposed of in the same manner as the contents.

## Section 14. Transport Information

SAFETY DATA SHEET



FCB-123 CARBON FABRIC

This Product is not dangerous to transport. **DOT:** Not Regulated **IATA:** Not Regulated **IMDG:** Not Regulated

### Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities: Not listed. CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA): Not listed. SARA Extremely Hazardous Substances EPCRA Reportable Quantities: Not listed. SARA 313 Emission Reporting: Not listed

**RCRA Information:** Currently, the product is not listed in the federal hazardous waste regulation 40 CFR, Part 261.33, paragraphs (E) or (F), ie. chemical products that are considered hazardous if they become waste. State or local hazardous waste regulations may also apply if they are different from the federal regulation. It is the responsibility of the user of the product to determine at the time of disposal, whether the product meets relevant waste classification and to assure proper disposal.

#### **US State Regulations**

**California Proposition 65 Carcinogens and Reproductive Toxins:** This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

#### **Inventories**

**US – TSCA:** This product is an article as defined by TSCA and is not required to be listed in the TSCA inventory.

#### Section 16. Other Information

#### Key Legend Information:

N/A – Not Applicable CAS - Chemical Abstract Service SARA - Superfund Amendments and Reauthorization Act

The information contained herein is based on the data available to us and is believed to be accurate. The data is offered in good faith as typical values and not as product specification. The information in this data sheet was compiled from information supplied by the vendors of the components of this compound. CSNRI makes no warranty either expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. The recommended industrial hygiene and safe handling procedures are believed to be genuinely applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. CSNRI assumes no responsibility for injury from the use of the product described herein. The information is intended only to assist in the safe handling of this material. CSNRI DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR FREEDOM FROM PATENT INFRINGEMENT. CSNRI WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

```
Date of issue: 11/13/2020
```

Revision date: 11/13/2020

Supersedes: N/A

Version: 1.0