



PPR-290 PART B

Section 1. Product and Company Identification

Product Name: PPR-290 Part B
Supplier: CSNRI | 621 Lockhaven Drive. Houston, TX 77073 | +1 281.590.8491
Emergency Phone Number: 800.424.9300 (CHEMTREC)
 +1 703.741.5970 (Outside the US)
Product Description: Hardener for epoxy resin
Product Use: Anticorrosive coating component
Chemical Name or Synonym: N/A

Section 2. Hazards Identification

Classification of the substance or mixture:

Skin corrosion/irritation – Category 1B
 Skin sensitization - Category 1
 Acute toxicity/oral – Category 4
 Acute toxicity/inhalation – Category 4
 Aquatic Chronic – Category 2

Label Elements:



Hazard Statements:

H314 Causes severe skin burns and eye damage
 H317 May cause an allergic skin reaction
 H302 Harmful if swallowed
 H332 Harmful if inhaled
 H411 Toxic to aquatic life with long lasting effects.

Signal Word: Warning

Precautionary Statement:

P264 Wash thoroughly after handling
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray
 P302+P352 IF ON SKIN: Wash with plenty water.
 P333+P313 If skin irritation or rash occurs: Get medical advice
 P301+P312 IF SWALLOWED: Call a Poison Center/doctor if you feel unwell.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
 P312 Call a POISON CENTER if you feel unwell.

Section 3. Composition/ Information on Ingredients



Chemical Name	CAS-No	Weight %
Methyleneoxide, polymer with benzenamine, hydrogenated	Mixture	12 – 24
Benzyl Alcohol	100-51-6	5 – 10
Organic acid	N/A	1 – 3
4,4'Methylenebiscylcohexanamine	1761-71-3	1 – 2

Section 4. First Aid Measures

First Aid Measures for Accidental:

Eye Contact: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Ingestion: Do not induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Inhalation: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Most important symptoms/effects, acute and delayed: Skin/eye irritation. May cause an allergic skin irritation.

Indication of immediate medical attention and special treatment needed: Treat symptomatically.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, foam, dry chemical, water fog, limestone powder. Use water spray to cool fire exposed containers.

Unsuitable Extinguishing Media: Do not use high pressure water jet as this may spread the area of the fire.

Special Protective Equipment and Precautions for Fire-fighters: Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary, with a full face-piece operated in positive pressure mode to protect against potential harmful and/or irritating fumes.

Specific Hazards Arising from the Chemical (Under Fire Conditions): Exposure to decomposition products may be harmful to health; combustion products may include but are not limited to: carbon monoxide, carbon dioxide, nitrogen oxides, ammonia, nitric acid. The formation of hydrocarbon fragments is possible in the initial states of fire (especially between 400 °C ad 700 °C); smoke may contain particles of the original material as well.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not walk through spilled material. Shut off all ignition sources. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8). Avoid breathing mist, vapors, spray. Avoid contact with skin, eyes and clothing.

Environmental Precautions: Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas.

Methods and Materials for Containment and Cleaning Up: Halt the flow of material as soon as practical using barriers. Turn containers leak-side up to stop the escape of liquid. Prevent from spreading or entering into drains,



ditches, waterways by using sand, earth or appropriate barriers. Dispose of in accordance with applicable local and federal environmental control regulations.

Section 7. Handling and Storage

Precautions for Safe Handling: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse empty container.

Conditions for safe storage including any incompatibilities: Store between 5 and 40°C in a dry well ventilated place away from sources of heat, ignition and direct sunlight. Store away from oxidising agents and strongly alkaline and acid materials. Store away from heat and open flame.

Section 8. Exposure Controls / Personal Protection

Control Parameters (Exposure Limits): No data available

Appropriate Engineering Controls: Ventilation must be adequate for most operations.

Personal Protective Equipment:

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. Use a NIOSH approved organic vapor cartridge respirator. Self-contained breathing apparatus should also be available in case of emergency.

Eye / Face Protection: Wear safety glasses with side shields or chemical splash goggles when exposure is more likely.

Skin Protection: Wear chemical resistant gloves (nitrile-butyl rubber, neoprene, butyl rubber or natural rubber) and full body-covering clothing.

Additional protective measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 9. Physical and Chemical Properties

Physical State:	Liquid
Colour:	White
Odour:	No data available
Melting Point/ Freezing Point:	No data available
Boiling point:	No data available
Flammability (solid, gas):	No data available
Lower and Upper Explosion limits/ Flammability Limits:	No data available
Flash Point:	>219 °F
Auto-ignition Temperature:	No data available
Decomposition Temperature:	No data available



pH:	No data available
Kinematic Viscosity:	100 – 250 Poise
Solubility:	No data available
Evaporation rate (ether=1):	No data available
Flammability Limits in Air:	No data available
Solubility in other solvents:	No data available
Partition coefficient (n-octanol/water):	No data available
Vapour Pressure:	No data available
Density and/or Relative Density:	1.7Kgs/ Ltr
Relative Vapour Density:	No data available
Particle Characteristics:	No data available
VOC content:	Essentially zero under normal conditions

Section 10. Stability and Reactivity

Reactivity: Stable

Chemical Stability: Stable under standard normal conditions.

Possibility of Hazardous reactions: Mixtures with strongly acidic or strongly alkaline materials may produce an exothermic reaction. Hazardous polymerization will not occur.

Conditions to Avoid: Avoid elevated temperatures and sources of ignition.

Incompatible Materials / Chemicals: Keep uncured material away from strong acids, strong bases, oxidizing agents. Reacts with epoxy.

Hazardous Decomposition Products: In a fire, hazardous decomposition products such as smoke, acrolein, carbon monoxide, carbon dioxide, and oxides of nitrogen may be produced.

Section 11. Toxicological Information

Information in the likely route of exposure:

Potential Acute Health Effects:

Based on the properties of the epoxy constituents and considering toxicological data on similar preparations:

May be a skin sensitizer and an irritant.

It contains low molecular weight epoxy constituents which are irritating to eyes, mucous membrane and skin.

Repeated skin contact may lead to irritation and to sensitization, possibly with cross-sensitisation to other epoxies. Skin contact with the preparation and exposure to mist and vapour should be avoided.

Symptoms related to the physical, chemical and toxicological characteristics:



Mutagenicity: No information available.

Carcinogenicity: No information available.

Reproductive Toxicity: No information available.

Tetratogenicity: No information available.

Specific Target Organ Toxicity - single exposure (STOT-se): No data available

Specific Target Organ Toxicity - repeated exposure (STOT-re): No data available

Over-exposure signs / symptoms: Repeated or prolonged exposure may cause an allergic skin reaction; once sensitized, a severe allergic reaction may occur.

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Short term exposure: No specific data.

Long term exposure: No specific data

Numerical measures of toxicity:

Acute toxicity:

Acute Oral Toxicity: LD50 (rat): >5,000mg/Kg.

Acute Dermal Toxicity: LD50 (rabbit): 20,000mg/Kg.

Section 12. Ecological Information

Ecotoxicity Effects:

Aquatic ecotoxicity: No information available

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility in soil: No information available.

Other adverse effects: No information available.

Section 13. Disposal Considerations

Waste treatment methods: Do not dump to ground, sewers or watercourses. Dispose of at a licensed waste disposal facility utilizing methods that are in compliance with all applicable federal, state and local laws regulations. Waste characterization and compliance with applicable laws are the responsibility solely of the waste generator.

Uncleaned packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport Information

DOT:

Proper Shipping Name: Amines, liquid, corrosive n.o.s (cycloaliphatic amine)

UN number: UN2735

Hazard Class: 8

Packing Group: PG III

ERG No 153

IMDG:

Proper Shipping Name: Amines, liquid, corrosive n.o.s (cycloaliphatic amine)

UN number: UN2735



Hazard Class: 8
Packing Group: PG III
EmS No.: F-A, S-B

IATA:

Proper Shipping Name: Amines, liquid, corrosive n.o.s (cycloaliphatic amine)
UN number: UN2735
Hazard Class: 8
Packing Group: PG III
EmS No.: F-A, S-B

Section 15. Regulatory Information

SARA Title III section 311/312 (40CFR370): Acute health hazard
SARA Title III section 313 (40CFR372): No reportable components
CERCLA status (40CFR302): No reportable quantity components
TSCA inventory status: Reported/included
Canadian DSL Status: Reported/included
REACH Annex XIV (SVHC): No listed components
REACH Annex XVII: No listed components
REACH status (EC 1907/2006): This material has been registered, pre-existed or is otherwise exempted from registration under the Registration, Evaluation and Authorisation of Chemical Substances.
Chemical safety assessment: Not available

Section 16. Other Information**Key Legend Information:**

N/A – Not Applicable
OSHA – Occupational Safety and Health Administration
NIOSH – National Institute for Occupational Safety and Health

The information contained herein is based on the data available to us and is believed to be accurate. The data is offered in good faith as typical values and not as product specification. The information in this data sheet was compiled from information supplied by the vendors of the components of this compound. CSNRI makes no warranty either expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. The recommended industrial hygiene and safe handling procedures are believed to be genuinely applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. CSNRI assumes no responsibility for injury from the use of the product described herein. The information is intended only to assist in the safe handling of this material. CSNRI DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR FREEDOM FROM PATENT INFRINGEMENT. CSNRI WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Date of issue: 05.07.21

Revision date: 05.07.21

Supersedes: N/A

Version: 1