

**Section 1. Product and Company Identification**

**Product Name:** Fiberglass Fabric  
**Supplier:** CSNRI | 621 Lockhaven Drive. Houston, TX 77073 | +1 281.590.8491  
**Emergency Phone Number:** 800.424.9300 (CHEMTREC)  
+1 703.741.5970 (Outside the US)  
**Product Description:** Woven/Knitted Glass Fiber product  
**Product Use:** Fiberglass tape  
**Chemical Name or Synonym:** N/A

**Section 2. Hazards Identification**

**Classification of the substance or mixture**

Skin corrosion / irritation – Category 2  
Eye damage / irritation – Category 2B  
Skin sensitization - Category 1

**Label Elements**



**Hazard Statements:**

H315 Causes skin irritation.  
H320 Causes eye irritation.  
H317 May cause an allergic skin reaction.

**Signal Word:** Warning

**Precautionary Statement:**

P261 Avoid breathing dust  
P280 Wear protective gloves  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

**Section 3. Composition/ Information on Ingredients**

Component	CAS#	%Composition
Fibrous glass (E-type, continuous filament)	65997-17-3	90 – 100

**Section 4. First Aid Measures**

**First Aid Measures for Accidental:**

**Inhalation:** Move to fresh air area. If symptomatic, contact a poison control center or emergency room for treatment information.

**Ingestion:** Gently wipe or rinse the inside of the mouth with water. Sips of water can be given. Never give anything by mouth to an unconscious person. Contact a poison control center, emergency room, or physician for treatment information.

**Eye Exposure:** Remove contact lens and pour a gentle stream of warm water through the affected area for 15 minutes. If irritation persists, contact a poison control center, emergency room, or physician as further treatment may be necessary.

**Skin Exposure:** Run a gentle stream of water over the affected areas for 15 minutes. A mild soap may be used if available. If irritation persists, contact a poison control center, emergency room, or physician as further treatment may be necessary. If glass fiber becomes embedded, seek medical attention.

**Most important symptoms/effects, acute and delayed:**

**Inhalation:** Breathing of fibers or dust may cause mechanical irritation of the mouth, nose, and throat.

**Skin contact:** Causes skin irritation. May cause an allergic skin

**Eye contact:** Causes eye irritation.

**Ingestion:** Not likely to occur through normal use.

**Indication of immediate medical attention and special treatment needed:** Treat symptomatically.

**Section 5. Fire Fighting Measures**

**Extinguishing Media:** Use an extinguishing agent suitable for the surrounding fire.

**Special Fire Fighting Procedures:** Fiberglass will not support combustion, but in a sustained fire, proper protection against products of combustion from the fuel and sizing/binder must be worn.

**Special Protective Equipment for Fire-fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Unusual Fire and Explosion Hazards:** None

**Hazardous Decomposition Materials (Under Fire Conditions):** Fiberglass will not burn but smoking of the product may occur at approximately 400-500 0F due to decomposition of the surface binder. Surface binders may decompose in a fire situation and release carbon monoxide and carbon dioxide.

**Section 6. Accidental Release Measures**

**Personal Precautions, Protective Equipment and Emergency Procedures:** No action shall be taken involving any personal risk or without suitable training. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**Cleanup and Disposal of Spill:** Sweep or gather up material and place in proper container for disposal or recovery. Use vacuuming or wet sweeping methods instead of dry sweeping.

**Section 7. Handling and Storage**

**Precautions for Safe Handling:** No special procedures are necessary when handling this product.

**Conditions for Safe Storage including any incompatibilities:** Store at or below 25 °C (77 °F) and relative humidity less than 65% for optimum performance. Material is not an electrical conductor and may accumulate static charge.

**Section 8. Exposure Controls / Personal Protection**

**Exposure Guidelines:**

Component	Exposure limits		
	ACGIH	NIOSH	OSHA-PELs
Fibrous glass	5 mg/m <sup>3</sup> TWA (inhalable) 1 fiber/cm <sup>3</sup> TWA (respirable)	ND	15 mg/m <sup>3</sup> TWA (total dust) 5 mg/m <sup>3</sup> (respirable dust)

**Appropriate Engineering Controls:** Normal area ventilation is sufficient in most cases to keep dust and fiber levels below the exposure limits.

**Personal Protective Equipment:**

**Respiratory Protection:** If use or application of this product generates dust, use an appropriate NIOSH-approved particulate filter respirator.

**Eye / Face Protection:** Standard safety glasses with side shields.

**Skin Protection:** Wear clean, body-covering clothing. Good personal hygiene and the use of barrier creams, caps, protective gloves, cotton coveralls or long-sleeved loose-fitting clothing with maximize comfort. Vacuum equipment may be used to remove fibers from clothes. Work clothing should be laundered separately from other clothing before reuse.

**Additional protective measures:** Wash thoroughly after handling. Avoid breathing vapors from heated material.

## Section 9. Physical and Chemical Properties

<b>Physical Appearance:</b>	White solid
<b>Odor:</b>	None
<b>Odor Threshold:</b>	Not available
<b>pH:</b>	Not available
<b>Flash Point:</b>	Not available
<b>Method Used:</b>	Not available
<b>Flammability Limits (vol/vol%):</b>	<b>Lower:</b> N/A <b>Upper:</b> N/A
<b>Melting Point Range:</b>	~ 1400 °F
<b>Boiling point:</b>	Not available
<b>Evaporation Rate:</b>	Not available
<b>Specific Gravity:</b>	2.6 – 2.7 (bare glass)
<b>Viscosity:</b>	Not available
<b>Water Solubility:</b>	Insoluble
<b>Vapor Pressure:</b>	Not available
<b>Vapor Density:</b>	Not available
<b>Relative Density:</b>	Not available
<b>Partition coefficient (n-octanol/water):</b>	Not available
<b>Auto-ignition Temperature:</b>	Not available
<b>Decomposition Temperature:</b>	N/A
<b>Volume % Volatile:</b>	None

## Section 10. Stability and Reactivity

**Reactivity:** No specific test data related to reactivity available for this product or its ingredients.

**Chemical Stability:** Stable under standard use and storage conditions. Possibility of the release of small amounts of acetic acid and other organic materials at elevated temperatures.

**Possibility of Hazardous Reaction:** None under normal processing. Hazardous polymerization will not occur by itself.

**Conditions to Avoid:** None known

**Incompatible Materials / Chemicals:** None known

**Hazardous Decomposition Products:** Fiberglass will not burn but smoking of the product may occur at approximately 400-500 °F (2000-260 °C) due to decomposition of the surface binder. Surface binders may decompose in a fire situation and release carbon monoxide, carbon dioxide, and water. Additionally, there are many chemicals that can evolve during any partial decomposition of chemical products. The amounts or identities cannot be predicted and can differ in each situation.

**Section 11. Toxicological Information**

**Numerical measures of toxicity:** No specific data

**Potential Acute Health Effects**

**Eye Irritation:** Dusts from this product may cause temporary mechanical irritation to the eyes.

**Inhalation:** Dusts from this product may cause mechanical irritation of the nose, throat, and respiratory tract.

**Skin Irritation:** Dusts from this product may cause temporary mechanical irritation to the skin.

**Ingestion:** Although ingestion is not likely to occur in industrial applications, accidental ingestion may cause irritation of the mouth and gastrointestinal tract.

**Symptoms related to the physical, chemical and toxicological characteristics:**

**Eye contact:** No specific data

**Inhalation:** No specific data

**Skin contact:** Symptoms may include irritation, redness, itching.

**Ingestion:** No specific data

**Chronic Health Effects:** There are no known health effects from the long-term use or contact, with non-respirable continuous filament fibers. Fibers of this diameter cannot penetrate the narrow, bending passages of the human respiratory tract to reach the lower regions of the lung and thus, have no possibility of causing serious pulmonary damage. Instead, they deposit on the surface of the upper respiratory tract, nose, or pharynx. Chopped, crushed, or severely mechanically processed fiber glass may contain a very small amount of respirable fibers that could reach the deep lung. The measured airborne concentration of these respirable fibers in areas where severe processing of fiberglass occurred has been shown to be extremely low and well below the TLV. Repeated or prolonged exposure to respirable glass fibers may cause fibrosis, lung cancer and mesothelioma.

**Carcinogenicity:** This product is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.

**Delayed and immediate effects and also chronic effects from short and long-term exposure:**

Short term exposure: No specific data.

Long term exposure: No specific data

**Section 12. Ecological Information**

**Ecotoxicity:** No specific data

**Persistence and degradability:** No specific data

**Bioaccumulative potential:** No specific data

**Mobility in soil:** No specific data

**Other adverse effects:** Fiberglass is generally considered to be an inert solid waste. No known significant effects or critical hazard.

**Section 13. Disposal Considerations**

**Waste treatment methods:** Waste material must be disposed of in accordance with federal, state, provincial, and local environmental control regulations

**Uncleaned packaging:** Dispose of container and unused contents in accordance with federal, state, and local regulations. Empty containers should be recycled or disposed of through an approved waste management facility.

**Section 14. Transport Information**

	DOT	TDG	Mexico	IMDG	IATA
<b>UN Number</b>	-	-	-	-	-
<b>UN Proper Shipping Name</b>	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>Transport Hazard Class</b>	-	-	-	-	-
<b>Packing Group</b>	-	-	-	-	-
<b>Environmental Hazard</b>	No	No	No	No	No

**Special precautions for user:** Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Section 15. Regulatory Information**

**USA TSCA:** This product is considered an article and is exempt from TSCA requirements.

**EUROPE EINECS:** This product is considered an article and is exempt from EINECS requirements.

**CANADA DOMESTIC SUBSTANCES LIST (DSL):** This product is considered an article and is exempt from DSL requirements.

**AUSTRALIA AICS:** This product is considered an article and is exempt from the Australian Inventory of Chemical Substances (AICS).

**KOREA ECL:** This product is considered an article and is exempt from the Korean Existing Chemicals Inventory, KECI, requirements.

**JAPAN MITI (ENCS):** This product is considered an article and is exempt from the Japanese Existing and New Chemical Substances (ENCS) requirements.

**PHILIPPINES PICCS:** This product is considered an article and is exempt from the Phillipines Inventory of Chemicals and Chemical Substances.

**CHINA IECSC:** All components of this product are listed on the Inventory of Existing Chemical Substances in China (IECSC) or otherwise exempt.

**SARA TITLE III:**

SARA (311,312) Hazard Class: NA

SARA (313) Chemicals: Not listed

SARA Extremely Hazardous Substance: Not listed

**CERCLA Hazardous Substance:** Not listed

**CANADA REGULATIONS (WHMIS):** NA

**Section 16. Other Information**

**Key Legend Information:**

N/A – Not Applicable

ND – Not Determined

ACGIH – American Conference of Governmental Industrial Hygienists

OSHA – Occupational Safety and Health Administration

PEL – Permissible Exposure Limit

NIOSH – National Institute for Occupational Safety and Health



## SAFETY DATA SHEET

### FIBERGLASS FABRIC

The information contained herein is based on the data available to us and is believed to be accurate. The data is offered in good faith as typical values and not as product specification. The information in this data sheet was compiled from information supplied by the vendors of the components of this compound. CSNRI makes no warranty either expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. The recommended industrial hygiene and safe handling procedures are believed to be genuinely applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. CSNRI assumes no responsibility for injury from the use of the product described herein. The information is intended only to assist in the safe handling of this material. CSNRI DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR FREEDOM FROM PATENT INFRINGEMENT. CSNRI WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Date of issue: 04/18/2018

Revision date: 10/30/2019

Supersedes: 04/18/2018

Version: 1.0